

# IRC!Radio by dsc\_

## IRC!Radio

IRC!Radio is a radio station for IRC channels. You hang around on IRC, adding YouTube songs to the bot, listening to it with all your friends. Great fun!

## Stack

IRC!Radio aims to be minimalistic/small using:

- Python >= 3.7
- SQLite
- LiquidSoap >= 1.4.3
- Icecast2
- Quart web framework

And all in a FreeBSD jail (in this case).

## Command list

- “ - !np - current song
- !tune - upvote song
- !boo - downvote song
- !request - search and queue a song by title or YouTube id
- !dj+ - add a YouTube ID to the radiostream
- !dj- - remove a YouTube ID
- !ban+ - ban a YouTube ID and/or nickname
- !ban- - unban a YouTube ID and/or nickname
- !skip - skips current song
- !listeners - show current amount of listeners
- !queue - show queued up music
- !queue\_user - queue a random song by user
- !search - search for a title
- !stats - stats

# Installation

The following assumes you have a VPS somewhere with root access (duh). It assumes you're using `bastille` for the jail manager, and it assumes you have a `caddy` jail already set up for reverse proxy and certs.

Before doing anything else, since we're on FreeBSD, create a jail. Notice that this is a thin jail with no network interface specified, therefore it'll use the `bastille0` cloned loopback device for its network.

```
bastille create radio_jail 13.0-RELEASE 10.101.10.180
```

In my case, I have a custom `.cshrc` file to make the terminal nicer looking (and a script to copy it into place).

```
/usr/local/scripts/custom_cshrc.sh radio_jail
```

The `radio` user will be doing a bunch of the heavy lifting. It needs its own `/home` directory.

```
bastille cmd radio_jail pw adduser -n radio -m -d /home/radio -s /usr/local/bin/bash -c "radio user"
```

An `icecast` user will be needed to run `icecast`, but it doesn't need its own `/home` directory.

```
bastille cmd radio_jail pw adduser -n icecast -G wheel -d /nonexistent -s /usr/sbin/nologin -c "icecast"
```

## Requirements

### Part I - Everything except for `liquidsoap`, basically

Into the jail, as root:

```
bastille console radio_jail
```

First, might as well get onto the latest package repo.

```
mkdir -p /usr/local/etc/pkg/repos
```

```
echo 'FreeBSD: { url: 'pkg+http://pkg.FreeBSD.org/${ABI}/latest', enabled: yes }' >  
/usr/local/etc/pkg/repos/FreeBSD.conf
```

Do a couple rounds of package installing. First, basics. Then specifics.

```
pkg install -y bat htop git vim-console tmux
```

```
pkg install -y icecast py38-virtualenv libogg nginx ffmpeg sqlite3 py38-sqlite3 gmake bash
```

And because there is no `liquidsoap` in ports:

```
pkg install -y ocaml-opam libmad taglib libsamplerate pkgconf gavl fdk-aac
```

## Part II - Use `opam` to install `liquidsoap`

```
su radio
```

Inside the jail, as the `radio` user, the majority of the rest will happen. Might as well get to the `/home` directory.

```
cd
```

```
opam init
```

Follow the instructions to make sure `.profile` is properly sourced.

```
vim .bashrc
```

And paste:

```
source /usr/home/radio/.profile
```

The compiler in the package repo is too old for what we need.

```
opam switch create 4.12.0
```

```
opam install fdkaac gavl
```

```
opam depext taglib mad lame vorbis cry samplerate liquidsoap
```

And the `install` command that won't work without the `env` vars (whether included in advance or part of the command):

```
C_INCLUDE_PATH=$C_INCLUDE_PATH:/usr/local/include  
CPLUS_INCLUDE_PATH=$CPLUS_INCLUDE_PATH:/usr/local/include LIBRARY_PATH=$LIBRARY_PATH:/usr/local/lib  
opam install taglib mad lame vorbis cry samplerate ffmpeg liquidsoap
```

# Clone and Setup

Still as `radio` user, still from from `~`:

```
git clone https://git.wownero.com/dsc/ircradio.git
```

```
cd ircradio/
```

The magic commands that will need to be run more than once (here, and then farther down, at the end):

```
virtualenv -p /usr/local/bin/python3.8 venv
```

```
source venv/bin/activate
```

```
pip install -r requirements.txt
```

## Adjust settings

Now that all the building blocks are in place:

```
cp settings.py_example settings.py
```

```
vim settings.py
```

Look at `settings.py` and configure it to your liking:

- Change `host` listening address at the top to internal IP given to the jail, `10.101.10.180`
- Change timezone to `America/New_York` or whatever
- Change `irc_host` from `localhost` to something like `irc.oftc.net` or `irc.libera.chat` or whatever
- If you change `irc_ssl` to `True`, change the `irc_port` accordingly.
- Change `irc_nick`, `irc_channels`, `irc_realname`, maybe `irc_command_prefix`
- Change `icecast2_hostname` to your `hostname`, i.e, `radio.example.com`
- Change the passwords under `icecast2_`
- Change the `liquidsoap_description` to whatever

Lastly, edit `ircradio/utls.py`, and comment out all of `liquidsoap_check_symlink()`, and just make it `pass`.

Alternatively, you can run the `generate` command that follows, and then run `find / -type f -name lastfm.liq`, and then as `root` put in a symlink so it will be able to find that file. But you'll need a thick jail to be able to do this. And you'll need to repeat the three magic `virtualenv` commands again.

When you are done, this will generate various initial configs (which we'll have to further edit):

```
python3.8 run.py generate
```

The generate function writes `icecast` / `liquidsoap` / `nginx` configuration files into `data/`.

## Update configs

First, while still in the `radio` user's shell:

```
which liquidsoap
```

Then, `exit` out of `radio` and back to `root`. We'll need `root` shell for this section and the next. And if needed:

```
cd /home/radio/ircradio
```

### liquidsoap

Where is `liquidsoap`? We got that above. That needs to be the path at the top of the `data/soap.liq` file. Paste it.

```
vim data/soap.liq
```

And while in there, comment out the row starting with `full`. In the final line, change `full` to `radio`. This change will remove the crossfade function unfortunately. Maybe 1.4.4 changed that function.

**TODO: figure out crossfading, cuz I want it**

Then `liquidsoap` also needs an `rc` file, rather than a `system.d` file.

```
vim /usr/local/etc/rc.d/liquidsoap
```

```
#!/bin/sh

# PROVIDE: liquidsoap
# REQUIRE: DAEMON
# BEFORE: LOGIN
# KEYWORD: shutdown

# Add the following line to /etc/rc.conf to enable `liquidsoap`.
#
```

```
#liquidsoap_enable="YES"

#
# To specify a non-default script file, set liquidsoap_script
# in /etc/rc.conf:
#
#liquidsoap_script="/home/radio/ircradio/data/soap.liq"
#

. /etc/rc.subr

name="liquidsoap"
rcvar=liquidsoap_enable

#update as necessary, the command path
command="/usr/home/radio/.opam/4.12.0/bin/liquidsoap"
command_args="--daemon 1>/dev/null"
#command_args="--daemon --quiet"
extra_commands="reload"

# read configuration and set defaults
load_rc_config "$name"
: ${liquidsoap_enable="NO"}
: ${liquidsoap_script="/home/radio/ircradio/data/soap.liq"}
: ${liquidsoap_flags="${liquidsoap_script}"}
: ${liquidsoap_user:=radio}
: ${liquidsoap_group:=radio}

required_files="${liquidsoap_script}"

run_rc_command "$1"
```

And it needs to be made executable.

```
pushd /usr/local/etc/rc.d/
```

```
chmod +x liquidsoap
```

```
popd
```

Also, `liquidsoap` will want to create a `pid` near the build `dir`, and the user needs permissions... (adjust as necessary).

```
mkdir -p /usr/home/radio/.opam/4.12.0/lib/liquidsoap/var/run/liquidsoap
```

```
pushd /usr/home/radio/.opam/4.12.0/lib/liquidsoap/var/run
```

```
chown radio:radio liquidsoap/
```

```
popd
```

## nginx

```
vim data/radio_nginx.conf
```

For `data/radio_nginx.conf`, there needs to be the following at the very top:

```
events {}
```

And underneath that, the whole server block needs to be wrapped in an `html {}` block.

And change the listen port to whatever you'll forward to from `caddy`, like `8040`, though `80` should be fine too.

## icecast

Get into `data/icecast.xml`.

```
vim data/icecast.xml
```

First, might as well adjust the location to a fun name and admin to any old email address.

I adjusted `<burst-on-connect>` to `1` and `<hostname>` to `radio.example.come` (the actual address).

The bottom of the file needs to have the user info in the `security` section, right under `changeowner` subsection:

```
<<changeowner>
  <user>icecast</user>
  <group>icecast</group>
</changeowner>
```

Change the paths to these, since the provided ones are for Linux.

```
<paths>
❏<basedir>/usr/local/share/icecast</basedir>
    <logdir>/var/log/icecast/</logdir>
❏<webroot>/usr/local/share/icecast/web</webroot>
❏<adminroot>/usr/local/share/icecast/admin</adminroot>
</paths>
```

When starting the service, there will be an annoying "error" if we don't have this file \*rolls eyes\*...

```
touch /etc/mime.types
```

One more thing for this. For `icecast` to work, it needs to be able to do what you tell it, like logging...

```
pushd /var/log
```

```
mkdir /var/log/icecast
```

```
chown -R icecast:icecast /var/log/icecast
```

```
chmod -R 760 /var/log/icecast
```

```
popd
```

## Final Tidying Up

Still as `root` ...

```
cp /home/radio/ircradio/data/icecast.xml /usr/local/etc/
```

```
cp /home/radio/ircradio/data/radio_nginx.conf /usr/local/etc/nginx/nginx.conf
```

And we can enable the services..

```
sysrc liquidsoap_enable="YES"
```

```
sysrc nginx_enable="YES"
```

```
sysrc icecast_enable="YES"
```

And start them (and ultimately this will hopefully illuminate if any errors were made above).



```
service icecast start
```

```
service liquidsoap start
```

```
service nginx start
```

## Set Up Host & Caddyfile (and cname record)

Hopefully the host doesn't need anything, actually.

Before getting to `caddy`, hop into your domain registrar and add a `cname` for the `hostname` desired, in this case `radio`. It may take a little while for the new record to propagate.

Then hop into the `Caddyfile` and add a section for `radio.domain.tld`, and reverse proxy to the jail and the listen port from the top of `nginx.conf`.

And then we are ready to finish up.

## Start It!

From the jail console, start a new `tmux` session.

```
tmux
```

Change user and get to the repo directory.

```
su radio
```

```
cd
```

```
cd ircradio/
```

Run the three magical `virtualenv` steps.

Run the thing:

```
python3.8 run.py webdev
```

Then hop onto IRC and download a few songs! Then either the music will start playing, or you can restart `liquidsoap` with `root`.

## Other

There are `html` files for the webpage inside `ircradio/templates`. Perhaps you'd like to adjust the files to customize it a bit and maybe indicate that you stole this setup from from someone else and it's really their hard work that made it possible.

## Resources

<https://git.wownero.com/dsc/ircradio>

---

Revision #1

Created 31 July 2021 04:44:31 by scoob

Updated 31 July 2021 04:50:03 by scoob